


一门心思 做好窗

Brief Introduction

Hunan Greensee Doors and Windows Curtain wall Co.,Ltd





Greensee


Window • Construction • Life

Architecture, in an invisible way, Affects our lives and the future of the next generation

Good door and window products not only consider the doors and windows themselves

And it should be the system that considers health, comfort, green, and optimal configuration and space

Welcome into the Greensee



Concept of Product

Green

We have been striving to reduce the K-value of our products, reserve our products, and adhere to green production.

See

We strive to study the various applications of doors and windows in building facades, hoping that both indoors and outdoors can become a beautiful landscape in the building.



Livable

We customize according to customers' different characteristics such as floor, climate, age, and usage habits. I hope to bring users a higher sense of quality of life and happiness.

Intelligence


We actively study the safety intelligence, window intelligence, and shading intelligence of doors and windows, and link them with smart homes to look ahead to the future.

Product Series


产品体系

Greensee





Hot-selling Series



75 Series Tilt & Turn Window

75 内开内倒窗

Technical Data :

Profile thickness: 1.8mm Thermal break Aluminium alloy

Color: Outdoor Deep grey / Coffee, Metal grey Indoor

Glass: 5mm+12A+5mm+12A+5mm Hollow tempered glass+Warm edge strip+Argon

Accessories: Italian import handle, SOBINCO locking system

Insulation strip : Domestic brand; width: 34mm

Sealing Strip: SEMPERIT

Opening method: Fixed, Tilt & Turn

Screen: Integrated inward screen

Performance:


Water tightness: 900Pa

Air tightness: 1.0m³/ (m² * h)

Wind resistance: 3.8Kpa

Sound insulation: 40dB

Heat Insulation: 1.3W/m²K





Greensee

75 Series Outward Swing Window


75 窄外开

Technical Data:

Profile : 1.8mm Thermal break Aluminum alloy
Color: Outdoor Deep grey/Coffee ,Metal grey Indoor
Glass: 6mm (LOWE)+16AR+(LOWE)6mm +Warm edge strip+Argon Hollow tempered glass
Accessories: Greensee Customized
Insulation strip: Greensee Customized
Opening method: Fixed, outward, Top-hung
Screen: Retractable screen

Performance:

1. Water tightness: 900Pa
2. Air tightness: 1.0m³/ (m² * h)
3. Wind resistance: 3.5Kpa
4. Sound insulation: 35dB
5. Heat Insulation: 1.6W/m²K





130 Series Lift Sliding Door


130 提升推拉门

Technical Data:

1. Profile thickness: 2.0mm ;
2. Color: Outdoor deep grey/coffee ,Metal grey indoor
3. Glass:
6mm(LOWE)+12AR+(LOWE)6mm+Warm edge strip+Argon Hollow tempered glass
4. Accessories: Belgium import handle, SOBINCO locking system
5. Insulation strip: Ensinger ; width: 22mm
6. Opening method: Fixed, Single-side Lift Sliding

Performance:

1. Water tightness: 700Pa
2. Air tightness: 1.5m³ (m²*h)
3. Wind resistance: 2.5Kpa
4. Sound insulation: 35dB
5. Heat Insulation: 2.0W/m²K





65 Series Casement Door


65 C槽门

Technical Data:

1. Profile thickness: 2.0mm ;
2. Color: Outdoor deep grey/coffee ,Metal grey indoor
3. Glass: 6mm(LOWE)+16AR+(LOWE)6mm+Warm edge strip+Argon
4. Accessories: Import door lock, SOBINCO locking system
5. Insulation strip: Technoform
6. Sealing Strip: SEMPERIT
7. Opening method: Fixed, Swing

Performance:

1. Water tightness: 800Pa
2. Air tightness: 1.4m³/ (m² * h)
3. Wind resistance: 4.0Kpa
4. Sound insulation: 42dB
5. Heat Insulation: 1.5W/m²K





75 Series Casement Door


75 平开门

Technical Data:

1. Profile thickness: 2.0mm ;
2. Color: Outdoor deep grey/coffee ,Metal grey indoor
3. Glass: 6mm+1.14PVB+6mm(LOWE)+16AR+(LOWE) 6mm Ultra-white+Warm edge strip+Argon
4. Accessories: Import door lock, SOBINCO locking system
5. Insulation strip: Technoform;
6. Opening method: Fixed, Swing
7. Screen: Trackless screen door


Performance:

1. Water tightness: 900Pa
2. Air tightness: 2.0m³/ (m² * h)
3. Wind resistance: 3.5Kpa
4. Sound insulation: 35dB
5. Heat Insulation: 1.6W/m²K





Intelligent Series





Greensee

75 Series Intelligent Tilt & Turn Window


75 电动内倒窗

Technical Data :

Profile thickness: 1.8mm Thermal break Aluminium alloy
Color: Outdoor Deep grey / Coffee, Metal grey Indoor
Glass: 5mm+12A+5mm+12A+5mm Hollow tempered glass
Accessories: Italian import handle, SOBINCO locking system
Insulation strip : Technoform;
Sealing Strip: SEMPERIT
Opening method: Fixed, Tilt & Turn
Screen: Independent Screen

Performance:

Water tightness: 900Pa
Air tightness: 1.0m³/ (m² * h)
Wind resistance: 3.8Kpa
Sound insulation: 40dB
Heat Insulation: 1.3W/m²K





65 Intelligent Casement Door


65 C槽门智能锁

Technical Data:

1. Profile thickness: 2.0mm ;
2. Color: Outdoor deep grey/coffee ,Metal grey indoor
3. Glass: 6mm+16A+6mm Hollow tempered glass
4. Accessories: Import door lock, SOBINCO locking system
5. Insulation strip: Technoform
6. Sealing Strip: SEMPERIT
7. Opening method: Fixed, Swing

Performance:

1. Water tightness: 900Pa
2. Air tightness: 2.0m³/ (m² * h)
3. Wind resistance: 3.5Kpa
4. Sound insulation: 35dB
5. Heat Insulation: 1.8W/m²K





Economic Series



65 Series Tilt & Turn Window


65 内开内倒窗

Technical Data:

Profile : 1.8mm Thermal break Aluminium alloy
Glass: 5mm+16A+5mm Hollow Tempered glass
Accessories: ROTO locking system
Insulation strip: Greensee Customized;
Sealing Strip: SEMPERIT
Opening method: Fixed, Tilt & Turn
Screen: Integrated inward screen.

Performance:

Water tightness: 900Pa
Air tightness: 1.5m³/ (m² * h)
Wind resistance: 3.5Kpa
Sound insulation: 35dB
Heat Insulation: 1.8W/m²K



55 Series Outward Swing Window


55 外开窗

Technical Data:

Profile :1.4mm Thermal break Aluminium alloy
Color: Outdoor Deep grey/Coffee,Metal grey Indoor
Glass: 5mm+12A+5mm Hollow tempered glass
Accessories: Domestic brand handle, KIN LONG locking system
Insulation strip: Domestic brand ; width: 14.8mm
Opening method: Fixed, Tilt & Turn, Top-hung

Performance:

1. Water tightness: 700Pa
2. Air tightness: 2.0m³/ (m² * h)
3. Wind resistance: 2.8Kpa
4. Sound insulation: 35dB
5. Heat Insulation: 2.5W/m²K



Greensee

90 Series Sliding Door


90 推拉门

Technical Data:

1. Profile thickness: 2.0mm ;
2. Color: Outdoor deep grey/coffee , Metal grey indoor
3. Glass: 6mm+12A+6mm Hollow tempered glass
4. Accessories: Domestic brand handle, KIN LONG locking system
5. Insulation strip: Domestic brand; width: 14.8mm
6. Opening method: Fixed, Double Tracking
7. Screen: Sliding Screen

Performance:

1. Water tightness: 350Pa
2. Air tightness: 1.5m³/ (m² * h)
3. Wind resistance: 3.0Kpa
4. Sound insulation: 35dB
5. Heat Insulation: 2.6W/m²K





55 Series Casement Door


55 平开门

Technical Data:

1. Profile thickness: 2.0mm ;
2. Color: Outdoor deep grey/coffee ,Metal grey indoor
3. Glass:6mm+12A+6mm
4. Accessories: KIN LONG locking system
5. Insulation strip: Greensee Customized;
6. Opening method: Fixed, Swing

Performance:

1. Water tightness: 700Pa
2. Air tightness: 1.5m³/ (m² * h)
3. Wind resistance: 3.0Kpa
4. Sound insulation: 30dB
5. Heat Insulation:2.0W/m²K





Others





Glass Bulastrade

全波护栏

Technical Data:

1. Profile visible width: 151mm
2. Glass embedding depth: 100mm
3. Glass specification: 10+1.52pvb+10mm laminated tempered Ultra-clear glass





Luxury system sunlight room

阳光房

Technical Data:

1. Profile Surface: Powder Sparying
2. Color: Metal deep gray.
3. Glass: Laminated hollow glass (5mm (Low e)+12A+5mm+0.76pvb+5mm)
4. With aluminum alloy sink and downpipe;
5. Roof slope : 2%~70%
5. Application: Large slope Sunlight rooms , Single /Double side slope optional

Upgradable Option:

1. Electric skylight window optional
2. European style decorative line upgradable



Greensee

Glass Canopy

全玻璃雨棚


Technical Data:

1. Profile Type: T6 Aluminum
2. Visible Side of Profile: 121.8mm
3. Profile Depth Thickness: 118.5mm
4. Glass: 10T+1.52PVB+10T(optional)
5. Sealing Strip: EPDM European standard
6. Glass Block: Composite Glass Block
7. Overhang Size: Up to 1500mm
8. Single Glass: Maximum width 3000mm

Application:

1. Suitable for entrance doors, windowsills, corridors, etc. that require rain protection
2. Luminous design available





Project Cases Reference

**Changsha Zhonghai
Xiwan Community
中海·熙湾**

Address: Changsha,Hunan,China

Unit structure: 4 rooms/2 halls/2
Toilets

Product: Panoramic Balcony







Nanjing Qinglong Shangfu Community 青珑上府

Address: Nanjing, Jiangsu, China

Project Area: 142m²

Unit Structure: 4 Rooms/2 Halls/2
Toilets


Full room customized



Changsha Heshun Villa 和顺大宅

Address: Changsha, Hunan, China

Full house customized



Greensee

**Pingjiang
Shanshuihaoting Villa
海盟·山水豪庭**

Address: Pingjiang, Hunan, China

Unit Structure: Villa

Full house customized




Flat level luxury mansion•Project reference



Boutique Villa • Project reference



Architectural Curtain Wall • Project reference




Prefabricated building•Project reference



American•Project reference

Greensee



American•Project reference

Greensee



Canada•Project reference

Greensee



Greensee Characteristics

Super Slient |

Adopting high sound insulation automotive grade vacuum glass, effectively blocking sound; Maximum sound insulation effect, 45 dB

Ultra High level insulation|

Three sealing structures and optional cavity type pressure line design effectively reduce heat loss caused by air convection. The insulation K value can be as low as 1.3W/m²K or less.

Super Waterproof |

Adopting a "combination of dredging and blocking" approach, it integrates water blocking, water collection, drainage, and anti backflow water, and three layers of German original sealant strips ensure that the frame and fan overlap without gaps, ensuring no water leakage.

Ultra high airtightness |


Design three seals with matching sealing strips to ensure a tight fit.

Ultra strong wind pressure resistance |

The design of thickened profiles and cavity strength fundamentally improves the wind pressure resistance performance of doors and windows; The outer hinged door can be increased to a maximum of 7 locking points, fully ensuring the strength of the handle side.

Extra large Views |

Select high load-bearing hardware, with a maximum load-bearing capacity of up to 200kg, effectively solving the load problem of doors and windows, allowing doors and windows to achieve the maximum styling space according to the architectural style.



Greensee Characteristics



Sunshade |
Hollow glass and
sunshade louvers



Micro Ventilation |
Proper Ventilation and
Insulation



Fresh air |
Insect prevention filter
screen



**Mosquito
prevention** |
48 mesh gauze sash



Intelligence |
Make your home
more dreamy

Greensee Characteristics



Good Reviews Collection



High-quality products

I bought a customized windows system from here. The quality is remarkable. It's well worth the money for their high-quality products; I highly recommended!

★★★★★ *Excellent!!*



The quality is excellent

They gave me a whole suggestion with pictures and designs. The quality is excellent. I received a discount because it was my first buy. It's well worth the money for their high-quality products; high recommended!

★★★★★ *Excellent!!*



The quality is excellent

They gave me a whole suggestion with pictures and designs. The quality is excellent. I received a discount because it was my first buy. It's well worth the money for their high-quality products; high recommended!

★★★★★ *Excellent!!*



Great service team work

I got a sample of their window from their online store and I'm very satisfied. They are high-quality and worth money. The store also offered free design at that price so that's plus!

★★★★★ *Excellent!!*

Greensee Characteristics



Professional service team

I recently discovered Greensee while searching for a specific set of windows and doors for our company project. Not only did they have the item I was looking for, but their selection was vast, and the prices were competitive. The website was easy to navigate, and the product descriptions were informative and accurate. I was pleasantly surprised by the fast shipping and the care they took in packaging my order.

★★★★★ *Excellent!!*



Exceptional customer service

If you're in search of a reliable, innovative windows and doors company, look no further than Greensee. Their team of seasoned professionals consistently exceeds expectations, offering cutting-edge solutions and exceptional customer service. They took the time to understand our specific needs and provided a tailor-made solution that greatly improved our plans. We are thrilled with the results and highly recommend Greensee for any project needs.

★★★★★ *Excellent!!*



Exceptional customer service

If you're in search of a reliable, innovative windows and doors company, look no further than Greensee. Their team of seasoned professionals consistently exceeds expectations, offering cutting-edge solutions and exceptional customer service. They took the time to understand our specific needs and provided a tailor-made solution that greatly improved our plans. We are thrilled with the results and highly recommend Greensee for any project needs.

★★★★★ *Excellent!!*



Excellence from everyone with whom

Excellence from everyone with whom I have dealt for these few weeks during my first experience with Greensee. Lina was fabulous, Polly was great. Insightful, responsive, upbeat, patient, professional... Give pats on the back all around!

★★★★★ *Excellent!!*